



Office for Product  
Safety & Standards

# **New High-Volume Manufacturers of COVID-19 Personal Protective Equipment (PPE)**

**Guidance for Businesses, Version 2**

April 2020



# Contents

1.	Who is this guide for? .....	3
2.	What is Personal Protective Equipment (PPE) in the context of protection of users from COVID-19? .....	3
3.	What PPE can you make? .....	3
4.	What are the essential safety requirements for PPE intended to protect against COVID19? .....	4
5.	Do I need to have the PPE conformity assessed? .....	4
6.	Who is the customer for your PPE? .....	4
7.	What do I need to do to have my PPE approved for sale or donation to the Government to be used by NHS healthcare workers? .....	5
8.	What do I need to do to have my COVID-19 related PPE approved for sale to other users in the UK, if it is not being purchased by or donated to the Government/ NHS for NHS use? .....	6
9.	What else must I do as a manufacturer to fulfil my obligations? .....	9

# Guidance

## 1. Who is this guide for?

This guide is for you if you want to change your processes to make high volumes of Personal Protective Equipment (PPE) to protect users from COVID-19.

This guidance is not intended to cover small scale home production or manufacturing of PPE for users although its principles can be applied to these processes too.

## 2. What is Personal Protective Equipment (PPE) in the context of protection of users from COVID-19?

For the purpose of this guide, PPE is:

- a) equipment designed and manufactured to be worn or held for protection against one or more risks from COVID-19 to their health or safety, e.g. gloves, face-masks, gowns;
- b) interchangeable components for equipment referred to above which are essential for its protective function;
- c) connexion systems for equipment referred to above that are not held or worn but that are designed to connect that equipment to an external device or to a reliable anchorage point, that are not designed to be permanently fixed and that do not require fastening works before use.

Some types of products that appear to be similar to PPE may actually be regulated as medical equipment if their main purpose is to protect others from the user (like a surgical face mask).

A medical gown is a medical device if it is to protect the patient from the healthcare worker. If it is to protect the healthcare worker from the patient, it is PPE.

[Further information about the regulation and safety of medical devices](#) is provided on GOV.UK.

## 3. What PPE can you make?

Read this guide first to understand the factors you need to consider in deciding whether you are able to make PPE to the essential health and safety requirements (*see next section*) so that it is effective in protecting users from COVID-19.

PPE that doesn't meet the essential health and safety requirements should not be supplied and won't be used, as it could not be ensured to protect against the risk of infection.

If, once you have read the guide, you decide you may be able to make and sell to the NHS high volumes of PPE that meets the essential health and safety requirements, or you want to donate COVID-19 related PPE for free to the NHS, please register on the webform at <https://www.gov.uk/coronavirus-support-from-business> to enter the assessment and approval process.

#### **4. What are the essential safety requirements for PPE intended to protect against COVID19?**

The manufacture of PPE is normally governed by product safety legislation. The relevant legislation is [EU Regulation 2016/425](#) on Personal Protective Equipment. Even though the UK left the European Union on 31 January 2020, this still applies during the Transition Period and has been adopted in an amended form into UK law so that it continues to apply to the UK market after the Transition Period has ended. EU Regulation 2016/425 is enforced in the UK by the [Personal Protective Equipment \(Enforcement\) Regulations 2018](#).

The essential health and safety requirements that apply to PPE are listed in Annex II of EU Regulation 2016/425. You can find them in Annex II to [EU Regulation 2016/425](#).

For PPE intended to protect against COVID-19 the process by which new PPE will be assessed for compliance with the essential requirements has been changed.

To ensure you have met the essential health and safety requirements, you should manufacture the PPE either:

- a) in line with a relevant European Standard,
- b) in accordance with a standard referenced in the WHO guidelines or
- c) to an alternative technical solution that meets the essential health and safety requirements and delivers adequate safety

[Standards relevant to PPE for COVID-19](#) are available free from the British Standards Institution and there are also [WHO guidelines](#) on COVID-19.

#### **5. Do I need to have the PPE conformity assessed?**

Normally, yes and this includes Type Approval and quality assurance procedures as set out in EU Regulation 2016/425. However, for COVID-19 related PPE these have been eased, depending on how you are placing your PPE on the market.

The extent to which the conformity assessment rules have been eased depends on whether you are manufacturing COVID-19 related PPE for Government/NHS purchase/ donation or are more generally placing it on the market.

#### **6. Who is the customer for your PPE?**

There are two different groups of users that this guide is intended to help you manufacture safe PPE for.

The way your PPE will be able to reach the UK market, the way it must be conformity assessed and the responsibilities on you as a manufacturer differ for each user group.

Please make sure that you understand which group you plan to produce PPE for:

1. Healthcare workers, where you only intend to sell/ donate the PPE to the NHS via UK Government
2. Other key workers in public and private healthcare companies, where you intend to sell PPE to distributors, retailers or directly.

## **7. What do I need to do to have my PPE approved for sale or donation to the Government to be used by NHS healthcare workers?**

Before COVID-19 related PPE is purchased by or donated to the Government/ NHS to be used by NHS healthcare workers, it must meet all the following criteria:

1. The products are manufactured in accordance with either:
  - a) a relevant harmonised European standard, or
  - b) any of the standards referred to in the WHO guidelines or,
  - c) any other non-EU standard or technical solution, provided that the chosen standard or technical solution ensures an adequate level of safety in respect to the essential safety requirements
2. The products have been assessed against the standard(s) or technical solution you have chosen by the cross-Government Decision Making Committee, which comprises the Health and Safety Executive (the Market Surveillance Authority), the Department for Health and Social Care, the Medicines and Healthcare products Regulatory Agency, the Office for Product Safety and Standards, and other experts as required.
3. The products must be part of a purchase organised by or donation agreed by the UK Government or the National Health Service.
4. The products will only be made available for healthcare workers.
5. The products will only be made available for the duration of the current outbreak of COVID-19.
6. The products will not enter regular distribution channels and will not be made available to other users.

To enable the cross-Government Committee to assess your COVID-19 related PPE, you have registered your interest on the webform at <https://www.gov.uk/coronavirus-support-from-business> and sent the Committee relevant documentation, including any test reports, that shows that the PPE has been designed and manufactured in line with a relevant European Standard, a standard referenced in the WHO guidelines, or an alternative technical solution that delivers adequate safety. You will be told where to send that documentation by the Government/NHS purchaser who replies once you have registered your interest.

Your PPE will then be reviewed against essential health and safety requirements, including any physical testing necessary, and you will receive feedback on whether it has met them.

If your PPE is not approved as meeting the essential health and safety requirements the Committee will tell you why, and it will then be up to you to address any issues and reapply should you wish.

Once your PPE has been approved by the relevant authorities as meeting the essential health and safety requirements applicable to COVID-19 PPE for use by NHS workers, the Government/ NHS PPE purchaser or acquirer will be back in contact with you.

## 8. What do I need to do to have my COVID-19 related PPE approved for sale to other users in the UK, if it is not being purchased by or donated to the Government/ NHS for NHS use?

Before PPE intended to protect UK workers in any environment from COVID-19 can be placed on the UK market, it must meet the essential safety requirements under EU Regulation 2016/425 (see Annex II) and be assessed in line with the regulatory easements in [EU Recommendation 2020/403](#)

This means that your product does not need to complete formal conformity assessment procedures including Type approval by a Notified Body, however:

- a) Your product must be **in the process** of conformity assessment with a Notified Body – you can choose any mentioned in the table below – and
- b) The Notified Body must confirm that your product has an adequate level of health and safety in accordance with the essential requirements laid down for that product.

All relevant UK Notified Bodies have been informed of this procedure and the Notified Body that you choose should guide you through the fast track process of conformity assessment.

After its assessment, which will include simplified product testing, the Notified Body will inform you whether your product meets the essential requirements or not.

If the product is deemed by the Notified Body as meeting essential safety requirements, you can begin selling it, provided you make sure that:

- a) the Notified Body's number is on each piece of COVID-19 related PPE, so that the market surveillance authority can confirm you have started conformity assessment procedures and that the Notified Body has found it meets essential safety requirements;
- b) all COVID-19 related PPE bears a type and serial or batch number, or other element allowing its identification, including your name, registered trade name or registered trademark and postal address. Where the size or nature of the PPE does not allow this then it may be provided on the packaging or accompanying documentation. This is so that if the PPE is later found not to meet essential safety requirements, you can be contacted and can identify and correct any design, process or system flaws and the product can be located and withdrawn
- c) the COVID-19 related PPE is accompanied by instructions and safety information as set out in point 1.4 of Annex II to the EU Regulation 2016/425, which is clear, legible and in easily understandable English.
- d) the Declaration of Conformity is completed with as much detail as possible, so that you can demonstrate that you have begun conformity assessment procedures
- e) you recognise that this is for a limited period of the health crisis and you continue with the Notified Body to seek full conformity for your product (in the time that the Notified Body is able to complete the conformity process) in the usual way.

If the product is deemed by your chosen Notified Body not to be capable of meeting essential safety requirements they will tell you why, and it will then be up to you to address any issues and reapply to that Notified Body or choose another should you wish.

Contact details for UK Notified Bodies which can assess COVID 19 PPE can be found here:

**BSI Assurance UK Ltd**

Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP

Phone: +44 (0) 8450 809000

Fax: +44 (0) 8450 809000

Email: [product.certification@bsigroup.com](mailto:product.certification@bsigroup.com)

Website: [www.bsigroup.com](http://www.bsigroup.com)

Notified Body number: 0086

**CCQS UK LTD**

Level 2, 5 Harbour Exchange Square, London E14 9GE

Phone: +44(0)20 7868 1509

Email: [info@ccqs.co.uk](mailto:info@ccqs.co.uk)

Website: [www.ccqs.co.uk](http://www.ccqs.co.uk)

Notified Body number: 1105

**INSPEC International Ltd.**

56 Leslie Hough Way, Salford, Greater Manchester M6 6AJ

Phone: +44 (0) 161 737 0699

Fax: +44 (0) 161 736 0101

Email: [certification@inspec-international.com](mailto:certification@inspec-international.com)

Website: [www.inspec-international.com](http://www.inspec-international.com)

Notified Body number: 0194

**ITS Testing Services (UK) Ltd**

Centre Court, Meridian Business Park, Leicester LE19 1WD

Phone: +44.116 263.0330

Fax: +44.116.263.03.11/12

Email: [marc.gaten@intertek.com](mailto:marc.gaten@intertek.com) / [tina.ball@intertek.com](mailto:tina.ball@intertek.com)

Website: [www.intertek.com](http://www.intertek.com)

Notified Body number: 0362

**SATRA**

SATRA Technology Centre Ltd, Wyndham Way, Telford Way Kettering,  
Northamptonshire, NN16 8SD

Phone: +44 (0)1536 410000

Fax: +44 (0)1536 410626

Email: [info@satra.co.uk](mailto:info@satra.co.uk)

Website: [www.satra.co.uk](http://www.satra.co.uk)

Notified Body number: 0321

**SGS United Kingdom Limited**

Unit 202B, Worle Parkway Weston-uper-Mare, Somerset, BS22 6WA

Phone: +44 (0)1934 522917

Fax: +44 (0)1934 522137 Email: [globalmedical@sgs.com](mailto:globalmedical@sgs.com) / [sgsprodcert@sgs.com](mailto:sgsprodcert@sgs.com) (for  
89/686/EEC; 92/42/EEC)

Website: [www.uk.sgs.com](http://www.uk.sgs.com)

Notified Body number: 0120

<p><b>Shirley Technologies Limited, trading as BTTG</b>                  Unit 6, Wheel Forge Way, Trafford Park, Manchester M17 1EH                  Phone +44 (0)161 876 4211                  Fax: +44 (0)161 872 0294                  Email: <a href="mailto:onestopshop@bttg.co.uk">onestopshop@bttg.co.uk</a>                  Website: <a href="http://www.bttg.co.uk">www.bttg.co.uk</a>                  Notified Body number: 0338</p>
<p><b>SIRA CERTIFICATION SERVICE</b>                  Unit 6 Hawarden Industrial Park, Hawarden, Deeside CH5 3US                  Phone: +44 (0)1244 670900                  Fax: +44 (0) 1244 681330                  Email: <a href="mailto:UK_NotifiedBody@csagroup.org">UK_NotifiedBody@csagroup.org</a>                  Website: <a href="http://www.csagroupuk.org">www.csagroupuk.org</a>                  Notified Body number: 0518</p>
<p><b>UL INTERNATIONAL (UK) LTD</b>                  Wonersh House Building C, The Guildway, Old Portsmouth Road, Guildford GU3 1LR                  Phone: +44 1483 302130                  Fax: +44 1483 302230                  Email: <a href="mailto:Inform.NB@uk.ul.com">Inform.NB@uk.ul.com</a>                  Website: <a href="http://www.ul-europe.com">http://www.ul-europe.com</a>                  Notified Body number: 0843</p>

The type of PPE they assess is set out in the table below<sup>1</sup>:

Notified Bodies	Types of PPE Assessed						
	1	2	3	4	5	6	7
<b>BSI Assurance UK Ltd</b>	✓.	✓.		✓.	✓.	✓.	✓.
<b>CCQS UK Ltd</b>		✓.	✓.	✓.	✓.		✓.
<b>INSPEC International Ltd</b>		✓.		✓.	✓.	✓.	✓.
<b>ITS Testing Services (UK) Ltd</b>			✓.	✓.	✓.		✓.
<b>SATRA</b>	✓.		✓.	✓.	✓.	✓.	✓.
<b>SGS United Kingdom Limited</b>	✓.	✓.		✓.	✓.		
<b>Shirley Technologies Limited, trading as BTTG</b>	✓.	✓.	✓.	✓.	✓.	✓.	✓.

<sup>1</sup> This table has been created from information available on [the NANDO database](#).



<b>SIRA CERTIFICATION SERVICE</b>						✓.	
<b>UL INTERNATIONAL (UK) LTD</b>	✓.				✓.	✓.	✓.

**9. What else must I do as a manufacturer to fulfil my obligations?**

In addition to ensuring that the PPE is designed and manufactured in accordance with the applicable essential health and safety requirements, you must:

- a) Keep the technical documentation for 10 years after the PPE has been purchased.
- b) Ensure that procedures are in place for series production to remain as approved by the cross-Government Committee or Notified Body. You will adequately take into account changes in the design or characteristics of the PPE and changes in the harmonised standards or in other technical specifications by reference to which you state that the PPE meets the essential health and safety requirements.
- c) Thinking about the risks presented by PPE, protect the health and safety of UK healthcare workers, carry out sample testing of PPE made available for purchasing, investigate, and, if necessary, keep a register of complaints, of PPE which does not meet the essential health and safety requirements/ protect the user from COVID19, and PPE recalls, and keep the purchaser and distributors informed of any such monitoring.

© Crown copyright 2020

This publication is licensed under the terms of the Open Government Licence v3.0 except where otherwise stated.

To view this licence, visit [www.nationalarchives.gov.uk/doc/open-governmentlicence/version/3/](http://www.nationalarchives.gov.uk/doc/open-governmentlicence/version/3/) or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email: [psi@nationalarchives.gsi.gov.uk](mailto:psi@nationalarchives.gsi.gov.uk). Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

This publication is available at <https://www.gov.uk/guidance/opss-coronavirus-covid-19-guidance-for-business-and-local-authorities>

Contact us if you have any enquiries about this publication, including requests for alternative formats, at: [OPSS.enquiries@beis.gov.uk](mailto:OPSS.enquiries@beis.gov.uk)

### **Office for Product Safety and Standards**

Department for Business, Energy and Industrial Strategy  
4th Floor, Cannon House, 18 The Priory Queensway, Birmingham B4 6BS  
<https://www.gov.uk/government/organisations/office-for-product-safety-and-standards>